

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 431 | 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:13 |
| S2 | 21 | policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:31 |
| S3 | 11 | kernel AND policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:50 |
| S4 | 105 | kernel AND policy AND system call AND "726"/.clas. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:50 |
| S5 | 188 | kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:59 |
| S6 | 96 | encryption AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:51 |
| S7 | 117 | process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 14:39 |
| S8 | 60 | tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:52 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| S9 | 31 | memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:53 |
| S10 | 31 | data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:53 |
| S11 | 30 | supervisor AND data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:54 |
| S12 | 0 | NOT ginter.inv. AND supervisor AND data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:54 |
| S13 | 157 | NOT ginter.inv. AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/06 16:59 |
| S14 | 90 | NOT ginter.inv. AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 07:56 |
| S15 | 12 | memory space AND (NOT ginter.inv.) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 08:41 |
| S16 | 9 | NOT ginter.inv. AND monitor AND memory space AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 08:41 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|----|--|--|-----|----|------------------|
| S17 | 2 | "5757908".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:12 |
| S18 | 2 | "5925126".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:15 |
| S19 | 2 | "5956710".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:18 |
| S20 | 18 | monitor AND policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:34 |
| S21 | 23 | monitor AND policy AND system call AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:36 |
| S22 | 0 | policy AND system call monitor AND (726/1. ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:36 |
| S23 | 0 | policy AND system call NEAR monitor AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 09:36 |
| S24 | 28 | process AND data AND policy AND system call AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:00 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|----|--|--|-----|----|------------------|
| S25 | 77 | (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:02 |
| S26 | 60 | (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:03 |
| S27 | 45 | monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:04 |
| S28 | 36 | (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:12 |
| S29 | 29 | monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:12 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|----|--|--|-----|----|------------------|
| S30 | 18 | (encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:12 |
| S31 | 23 | (encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:21 |
| S32 | 27 | (encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector OR monitor) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:30 |
| S33 | 2 | (encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND ((detect OR detecting OR detected OR detection OR detector OR monitor) NEAR (system call OR call)) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 10:31 |
| S34 | 2 | "5937159".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 13:37 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| S35 | 115 | operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 14:42 |
| S36 | 114 | security AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 14:41 |
| S37 | 57 | operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 14:43 |
| S38 | 50 | space AND user AND memory AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 14:48 |
| S39 | 23 | memory space AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 14:49 |
| S40 | 1 | memory space AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel space AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/07 15:18 |
| S41 | 51 | process AND (data OR information) AND tag AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/08 10:28 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S43 | 39 | input AND process AND (data OR information) management AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/08 13:31 |
| S44 | 31 | operating system AND input AND process AND (data OR information) management AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/08 13:33 |
| S45 | 328 | operating system AND input AND process AND (data OR information) management AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/08 13:34 |
| S46 | 101 | (operation OR function OR functionality) AND operating system AND (data OR information) input AND process AND (data OR information) management AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/08 13:35 |
| S47 | 22 | (operating system NEAR (operation OR function OR functionality)) AND (data OR information) input AND process AND (data OR information) management AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/08 13:35 |
| S48 | 2 | "5909688".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/09 13:54 |
| S49 | 2 | "6282657".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/13 08:10 |
| S50 | 2 | "5684948".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/13 08:10 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S51 | 109 | monitor AND system call AND policy AND (tag label) AND ("726".clas. "713".clas. "380".clas. "705".clas.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/04/17 15:54 |
| S53 | 2 | "6658571".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/04/18 09:53 |
| S54 | 29 | monitor AND system call AND policy AND data (handl\$3 process\$3) AND ("726/1,26,27,30.cds. "713/155-159".cds. 709/225.cds.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 15:48 |
| S55 | 28 | process AND monitor AND system call AND policy AND data (handl\$3 process\$3) AND ("726/1,26,27,30.cds. "713/155-159".cds. 709/225.cds.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:07 |
| S56 | 4770 | (beresnevichiene.in. plaquin.in. dalton.in.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:08 |
| S57 | 24 | (beresnevichiene.in. plaquin.in. dalton.in.) AND ("713".clas. "726".clas. "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:15 |
| S58 | 4 | (beresnevichiene.in. plaquin.in. dalton.in.) AND system call AND ("713".clas. "726".clas. "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:15 |
| S59 | 28 | process AND monitor AND system call AND policy AND data (handl\$3 process\$3) AND ("726/2,16,26,27-30.cds. 713/164-167,189.cds. 380/59.cds.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @rlad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:29 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S60 | 60 | process AND monitor AND system call AND data (handl\$3 process\$3) AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:29 |
| S61 | 1 | process AND call monitor AND system call AND data (handl\$3 process\$3) AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:29 |
| S62 | 38 | monitor AND system call AND policy AND (tag label) AND ("726/1,26,27,30.ccls. 713/155-159.ccls. 709/225.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:34 |
| S63 | 15 | (access control NEAR (process application)) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/23 16:37 |
| S64 | 2 | "5937159".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/24 15:35 |
| S65 | 8 | "5937159".pn. "6981140".pn. "5909688".pn. "5684948".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/12/14 17:29 |
| S66 | 136 | monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 08:59 |
| S67 | 0 | data handling AND (poli\$3 access control) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 09:00 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|----|--|--|-----|----|------------------|
| S68 | 91 | data AND (poli\$3 access control) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 09:00 |
| S69 | 8 | user space AND kernel space AND data AND (poli\$3 access control) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 09:12 |
| S70 | 19 | user (memory space) AND kernel (memory space) AND data AND (poli\$3 access control) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 09:13 |
| S71 | 19 | user (memory space) AND kernel (memory space) AND data AND (poli\$3 access control) AND monitor AND system call\$1 AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 15:44 |
| S72 | 2 | "7263718".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 15:47 |
| S73 | 6 | "5919258".pn. "5287453".pn. "5974549".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 15:53 |
| S74 | 15 | (label\$3 tag\$4) AND user (memory space) AND kernel (memory space) AND data AND (poli\$3 access control) AND monitor AND system call\$1 AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd<"20030127" @ad<"20030127" @prad<"20030127" @riad<"20030127") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 16:49 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| S75 | 2 | "20050076237".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 17:12 |
| S76 | 3 | "20050076237".pn. "7437766".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/20 17:15 |
| S77 | 2 | "20040158720".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/21 10:32 |
| S78 | 63 | (label\$3 tag\$4) AND (polic\$3 access control) AND monitor AND (system call\$1 process call\$1) AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd< ""20030127"" @ad< ""20030127"" @prad< ""20030127"" @riad< ""20030127"") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/21 10:46 |
| S79 | 66 | (label\$3 tag\$4) AND (polic\$3 access control) AND monitor\$3 AND (system call\$1 process call\$1) AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd< ""20030127"" @ad< ""20030127"" @prad< ""20030127"" @riad< ""20030127"") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/21 10:46 |
| S80 | 57 | (label\$3 tag\$4) AND polic\$3 AND monitor\$3 AND (system call\$1 process call\$1) AND ("726/2,16,26,27-30.ccls. 713/164-167,189.ccls. 380/59.ccls.) AND (@pd< ""20030127"" @ad< ""20030127"" @prad< ""20030127"" @riad< ""20030127"") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/21 10:46 |
| S81 | 2 | "20030145235".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/21 15:05 |
| S82 | 4 | "20030145235".pn. "6981140".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/21 15:06 |